





California Health Interview Survey (CHIS): Measuring and **Tracking Social Determinant of Mental Health Outcomes**

Ninez Ponce, PhD MPP Director of UCLA Center for Health Policy Research Principle Investigator of CHIS

D. Imelda Padilla-Frausto, PhD, MPH Research Scientist

Mental Health Services Oversight and Accountability Commission (MHSOAC)

Shifting the Current: Advancing Mental Health Prevention and Early Intervention using Evaluation and Technical Support Forum 1 – Risk and Protective Factors' Role in Strategic Planning and Program Delivery

March 17, 2021



What Is CHIS?

- Nation's largest state health survey
- Most comprehensive source of health information on Californians
- Comprehensive range of health topics
 - Health Status
 - Health Conditions
 - Mental Health
 - Oral Health
 - Health Behaviors

- Access to & Use of Health Care
- Health Insurance
- Employment
- Respondent Characteristics



California Health Interview Survey (CHIS)


- California's assessment tool to meet state and local needs for population-based health data
 - Policy analysis, development, and advocacy
 - Service and program planning
 - Research
- CHIS is a collaborative project, funded by federal and state health agencies, California and national foundations, and others

(See healthpolicy.ucla.edu/chis/about)



CHIS Survey

- CHIS interviews
 - An adult (age 18+) in the household, adolescent (ages 12–17) if present, and child (ages 0–11) if present




*Completing the sample child interview first for all households is new for 2019

- CHIS conducts approximately 20,000 adult surveys per year, using Address-Based Sampling, with response via web or telephone.
- CHIS conducted in English, Spanish, Chinese (both Cantonese and Mandarin dialects), Korean, Vietnamese, and Tagalog

CHIS 2019 Data Collection Method for Adults: Address-Based Sampling with Web and Telephone Response

Phase 1: Push-to-Web



Phase 2: Telephone Nonresponse Follow-up



Accessing CHIS Data

- AskCHIS www.askchis.ucla.edu
- AskCHIS Neighborhood Edition (NE) www.askchine.ucla.edu

Geographic Area lopic Compare lopics Limit Population Years

State


Needed help for ONE MB/Department of Finance optional clockold/rung


MB/Department of Finance optional clockold/rung

Select a Geographic Area 6

Search all of California	Search all of California					
Counties and Regions	Los Angeles County Service Plan Areas (SPA)	San Diego County Health Regions				
	Market Market					
■ Northern / Sierra	a Counties					
☐ Butte		☐ Shasta				
☐ Humboldt		Del Norte, Siskiyou, Lassen, Trinity, Modoc, Plumas, Sierra				
☐ Mendocino		Lake				
☐ Tehama, Glenn, Colusa		□ Sutter				
☐ Yuba		□ Nevada				
☐ Tuolumne, Ca	laveras, Amador, Inyo, Mariposa, Mono, Alpine					
2						
■ Bay Area Counti	es					
☐ Santa Clara		Alameda				
☐ Contra Costa		☐ San Francisco				
☐ San Mateo		□ Sonoma				
☐ Solano		Marin				
□ Napa						
■ Sacramento Are	a Countles					
☐ Sacramento		Placer				
☐ Yolo		☐ El Dorado				
■ San Joaquin Vall	ley					
☐ Fresno		☐ Kern				
☐ San Joaquin		Stanislaus				
☐ Tulare		☐ Merced				
☐ Kings		Madera				
- Control Court C	ountles					
■ Central Coast C	ounues.					
☐ Ventura		☐ Santa Barbara				
☐ Santa Cruz		San Luis Obispo				
☐ Monterey		☐ San Benito				
The same of the sa						
Los Angeles Co	unty					
☐ Los Angeles						
SH-						
■ Other Southern California Counties						
☐ Orange		☐ San Diego				
	10					
☐ Imperial						
□ San Bernardir □ Imperial	10	Riverside				









Accessing CHIS Data for Local Health Departments

Summary: Local health department files (or LHD files) provide data at the county level for California's public health departments interested in examining the health and wellbeing of its local population. LHD data files are customized to only include CHIS sample available within a specific county and can be requested by local health departments. The data files provide information that can be used by health departments for benchmarking, targeted outreach, and service planning for vulnerable or at-risk local populations.

Further Information: To obtain an LHD file:

- 1) Designate a CHIS data custodian at your local county health department
- 2) Identify all data users in your local health department
- 3) Complete the CHIS Data Custodian Agreement and CHIS Data User Agreements, and email to dacchpr@ucla.edu
- Link: https://healthpolicy.ucla.edu/chis/data/Pages/LHD.aspx



Mental Health Content	Adult (18+)	Adolescent (12-17)	Child (0-17)
Mental health status (SPD past month, SPD past year)	2011-2022	2011-2022	
Perceived need, access and utilization of mental health services	2011-2022	2011-2022	
Functional impairment (Sheehan Disability scale)	2011-2022		
Perceived mental health stigma	2011-2022		
Suicide ideation and attempts	2011-2022	2011-2022	
Physical, behavioral, and/or mental conditions			2011-2022
Three-item loneliness scale (65+)	2019-2020		
Well-being scale	2018		
Mental health and technology	2019-2022		
Adverse Childhood Experiences (ACEs) Assessment	2021-2022	2021-2022	
ACEs in healthcare setting	2021-2022	2021-2022	2021-2022
Positive Childhood Experiences (PCEs) Assessment	2021-2022	2021-2022	
Firearm ownership, storage and locking behaviors	2021-2022	2021-2022	
Climate Change - impact on physical and mental health	2021-2022		
Climate Change - impact on mental health		2021-2022	www.healthpoli



Measuring Need for Mental Health Services

- Kessler-6 in the California Health Interview Survey (CHIS)
 - How often did you feel nervous?
 - How often did you feel hopeless
 - How often did you feel restless or fidgety?
 - How often did you feel depressed that nothing could cheer you up?
 - How often did you feel that everything was an effort?
 - How often did you feel worthless?
- Responses
 - All of the time (4), Most of the time (3), Some of the time (2), A little (1), None of the time (0)
- Summed and Scored (Range = 0-24)
 - Serious Psychological Distress Score = 13 or greater
 - Moderate Psychological Distress Score = 9 through 12

 - No Psychological DistressScore = 0



Measuring Access to Mental Health Care

- Mental Health Care by Both Medical and Mental Health Professionals
 - In the past 12 months have you seen your primary care physician for problems with your mental health, emotions, nerves or your use of alcohol or drugs?"
 - In the past 12 months have you seen any other professional, such as a counselor, psychiatrist, or social worker for problems with your mental health, emotions, nerves or your use of alcohol or drugs?"
- "No" responses to both of these questions = Did Not See Any Type of Professional Provider for Mental Health, Emotions, Nerves, Alcohol or Drug Use Past Year



Measuring Social Determinants of Health

Social Status Indicators

- Age
- Gender
- Race and Ethnicity
- Nativity and Citizenship Status
- Language
- Sexual Orientation
- Transgender and Gender Identity
- Family and Marital Status

Economic Status Indicators

- Education
- Employment
- Health Insurance Coverage
- Income and Poverty
- Food Insecurity
- Homeowner vs. Renter
- Type of Housing Structure
- Neighborhood Safety



Prevention in Public Health





Prevention in Public Health






Upstream Approach: Prevention in Public Health





Public Health Prevention Framework:

Tertiary Prevention



Aims to reduce the consequences of established disease and disability.



Public Health Prevention Framework:

Secondary Prevention

General Population Aims to prevent the progression **Secondary Prevention** of disease and disability. **Tertiary** Preventio

Aims to reduce the consequences of established disease and

disability.



Public Health Prevention Framework: Primary Prevention


Aims to limit the incidence of disease and disability in the population.

Aims to prevent the progression of disease and disability.

Aims to reduce the consequences of established disease and disability.

Primary Prevention Tertiary Preventio

Predominant Focus of Public Mental Health System





Public Mental Health Framework: Prevention and Early Intervention (PEI)

Aims to limit the incidence of mental health disorders and disability in the population.

Aims to prevent the progression of mental health disorders and disability.

Aims to reduce the consequences of established mental health disorders and disability.

Primary PEI

Secondary PEI

> Tertiary PEI



Public Mental Health Framework: Prevention and Early

Intervention (PEI) <u>Using CHIS for Mental Health Surveillance and PEI Efforts:</u>

Aims to limit the incidence of mental health disorders and disability in the population.

> Aims to prevent the progression of mental health disorders and disability.

Aims to reduce the consequences of established mental health disorders and disability.

Primary PEI

Mild Psychological Distress

Secondary PEI


Moderate Psychological **Distress**

Tertiary PEI

Serious Psychological Distress




Psychological Distress, Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured, 11 Million






Psychological Distress by Region, Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured






Gender

Psychological Distress Past Year among California Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured




Male adults:





Age


Psychological Distress Past Year among California Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured



Note: Population numbers may not add to total 11 million due to rounding

Race and Ethnicity

Psychological Distress Past Year among California Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured




Note: Population numbers may not add to total 11 million due to rounding, NL = non-Latino



Citizenship Status

Psychological Distress Past Year among California Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured




Note: Population numbers may not add to total 11 million due to rounding



English Language Proficiency

Psychological Distress Past Year among California Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured




Note: Population numbers may not add to total 11 million due to rounding



Educational Attainment


Psychological Distress Past Year among California Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured





Family Type

Psychological Distress Past Year among California Adults Ages 18 and Over, Medi-Cal Coverage or Uninsured





Summary: How Do Social Values, Social Hierarchy, Policy Influence Social Determinants?

Protective Factors

- Male
- Older Age
- Asian, Latino, Black Culture
- U.S. Citizenship for Foreign-born
- Foreign language
- Marriage
- Children for Single Adults

Risk Factors

- Female
- Young Adulthood
- Non-Latino White Culture
- Lack of U.S. Citizenship for Foreignborn
- Some College
- Being Single
- Children for Married Adults

Thank You!!

Q&A